

Contents: Anaesthesia, vol. 44, no. 1, January 1989

EDITORIAL

Anaesthetists, lawyers and the public

J.N. Lunn

1

ORIGINAL ARTICLES

The influence of patient characteristics on the requirements for postoperative analgesia. A reassessment using patient-controlled analgesia

J.W. Burns, N.B.A. Hodsmann, T.T.C. McLintock, G.W.A. Gillies, G.N.C. Kenny and C.S. McArdle

2

Variables of patient-controlled analgesia—1. bolus size

H. Owen, J.L. Plummer, I. Armstrong, L.E. Mather and M.J. Cousins

7

Variables of patient-controlled analgesia—2. concurrent infusion

H. Owen, S.M. Szekely, J.L. Plummer, J.M. Cushnie and L.E. Mather

11

Suxamethonium—the relation between dose and response

R.J. Chestnut, T.E.J. Healy, N.J.N. Harper and E.B. Faragher

14

Intravenous regional anaesthesia of the arm. Effect of the technique of exsanguination on the quality of anaesthesia and prilocaine plasma concentrations

J. Haasio, S. Hiippala and P.H. Rosenberg

19

Efficacy of lignocaine in the suppression of the intra-ocular pressure response to suxamethonium and tracheal intubation

V.K. Grover, K. Lata, S. Sharma, S. Kaushik and A. Gupta

22

CASE REPORTS

Apnoea after retrobulbar block

J.D. Rigg and R.H. James

26

Acute thyroid crisis on induction of anaesthesia

M.H. Bennett and A.P. Wainwright

28

Open-heart surgery in a patient with a high oxygen affinity haemoglobin variant

A. Francina, D. Chassard, F. Baklouti, M. George and S. Estanove

31

Impairment of the antagonism of vecuronium-induced paralysis and intra-operative disopyramide administration

M. Baurain, L. Barvais, A. d'Hollander and D. Hennart

34

APPARATUS

Automatic control of arterial pressure after cardiac surgery. Evaluation of a microcomputer-based control system using glyceryl trinitrate and sodium nitroprusside

J.R. Colvin and G.N.C. Kenny

37

SPECIAL ARTICLE

Anaesthetic management of the patient with a permanent pacemaker

P. Bloomfield and G.M.R. Bowler

42

FORUM

Comparison of continuous spinal and continuous epidural anaesthesia for lower limb surgery in elderly patients. A retrospective study

P.-A. Sutter, Z. Gamulin and A. Forster

47

Isoflurane and cerebrospinal fluid pressure—a study in neurosurgical patients undergoing intracranial shunt procedures

T.V. Campkin and R.M. Flinn

50

Prevention of postdural puncture headache after spinal anaesthesia for extracorporeal shockwave lithotripsy.

An assessment of prophylactic epidural blood patching

P. Sengupta, G. Bagley and M. Lim

54

Failure of rectal diclofenac to augment opioid analgesia after cholecystectomy

A.D. Colquhoun and D. Fell

57

Total intravenous anaesthesia for laparoscopy

R. Bailie, G. Craig and J. Restall

60

SPECIAL ARTICLE

Anaesthesia and the law. Two cases of oesophageal intubation

D. Brahm

64

CORRESPONDENCE

66

ANAESTHETIC LITERATURE

86

OBITUARIES

92

INTERNATIONAL CONGRESS CALENDAR

92

SAFETY INFORMATION BULLETIN

94

COURSES IN ANAESTHESIA

95

C
A
L
A
L
E
T
L
T
E
F
P
A
A
co
M
P
H
In
J.
C
se
R
SP
Se
J.
CO
BO
AN
HA
CO

Contents: Anaesthesia, vol. 44, no. 2, February 1989

EDITORIAL

Is halothane obsolete? Two standards of judgement

K.-H. Weis and W. Engelhardt

97

ORIGINAL ARTICLES

Postoperative absorption of controlled-release morphine sulphate. A study in patients given no parenteral opioids

J.K.L. Lew, K.A. Mobley, K.J. Achola, M. Horne and G. Smith

101

Cardiovascular responses to flumazenil-induced arousal after arterial surgery

G.C. Fisher and P. Hutton

104

Instability of the tracheal tube in neonates. A postmortem study

R. Roopchand, S. Roopnarinesingh and S. Ramsewak

107

The oculo-emetic reflex. A rationalisation of postophthalmic anaesthesia vomiting

A.A. van den Berg, A. Lambourne and P.A. Clyburn

110

A new method of analgesia for relief of circumcision pain

K.H. Andersen

118

CASE REPORTS

Anaphylaxis due to suxamethonium in a 7-year-old child: a 14-year follow-up with allergy testing

E.S.K. Assem and I.E. Symons

121

Major thoracic surgery during active tetanus

P.A. Farling, T.D.E. Sharpe and R.C. Gray

125

Angiotensin II in the management of excision of pheochromocytoma

K.J. Sommerville and J.B.M. McKellar

128

Epidural anaesthesia for bilateral inguinal herniorrhaphy in Eisenmenger's syndrome

D.S. Selsby and J.C. Sugden

130

The tumour lysis syndrome. Intensive care aspects of paediatric oncology

D.N. Stokes

133

The use of flumazenil (Anexate, Ro 15-1788) in the management of drug overdose

B.J. Pollard, A.P. Masters and P. Bunting

137

FORUM

Paediatric anaesthesia in a district general hospital

A.R. Bowhay and J.O. Morgan-Hughes

139

Anaesthesia for patients over 90 years of age. Outcomes after regional and general techniques for two common surgical procedures

M.P. Hosking, C.M. Lobdell, M.A. Warner, K.P. Offord and L.J. Melton

142

Postdural puncture headache. A comparison between 26- and 29-gauge needles in young patients

H. Flaatten, S.Å. Rodt, J. Vamnes, J. Rosland, T. Wisborg and M.E. Koller

147

Intra-operative collapse or death related to the use of acrylic cement in hip surgery

J.A.T. Duncan

149

Confidential professional reports. A method of assessing the career progress and prospects of anaesthetic senior house officers

R.H. Jago

153

SPECIAL ARTICLE

Second report from an anaesthetic reactions advisory service

J. Watkins

157

CORRESPONDENCE

160

BOOK REVIEWS

181

ANAESTHETIC LITERATURE

185

HAZARDS AND SAFETY INFORMATION

191

COURSES IN ANAESTHESIA

191

ED
An
J.C.

OR
A
lur
A.
Pr
or
L.
Pr
G.
Al
dis
B.
Co
su
F.
Eff
S.

CA
Pe
re
P.
Pr
P.
Tr
F.
La
W
Str
N.
Ob
N.

AP
Th
P.
Ch
M.

SP
De
A.

FO
Pr
eff
C.
Ob
M.

CO

BO

AN

SAR

CO

AN

Contents: Anaesthesia, vol. 44, no. 3, March 1989

EDITORIAL

Anaesthesia and intensive care

J.C. Stoddart

193

ORIGINAL ARTICLES

A comparison of anaesthetic breathing systems during spontaneous ventilation. An *in-vitro* study using a lung model

A.S.H. Chan, W.E. Bruce and N. Soni

194

Propofol-induced anaesthesia. Double-blind comparison of recovery after anaesthesia induced by propofol or thiopentone

L.D. Sanders, P.A. Isaac, W.A. Yeomans, P.A. Clyburn, M. Rosen and J.O. Robinson

200

Propofol-fentanyl anaesthesia for coronary artery surgery and cardiopulmonary bypass

G.N. Russell, E.L. Wright, M.A. Fox, E.J. Douglas and I.D. Cockshott

205

Alfentanil requirement in Crohn's disease. Increased alfentanil dose requirement in patients with Crohn's disease

B.J. Gesink-van der Veer, A.G.L. Burm, P.J. Hennis and J.G. Bovill

209

Comparison of the effects of famotidine and ranitidine on gastric secretion in patients undergoing elective surgery

F. Escolano, J. Castaño, N. Pares, E. Bisbe and J. Monterde

212

Effect of vecuronium on atropine-induced changes in heart rate

S. Ridley, D.G. Gaylard and M. Lim

216

CASE REPORTS

Penetrating craniocerebral airgun injury. Anaesthetic management with propofol infusion and review of recent reports

P.J. Wright and R.J. Murray

219

Propofol infusion for sedation of patients with head injury in intensive care. A preliminary report

P.A. Farling, J.R. Johnston and D.L. Coppel

222

Tracheal dilatation followed by stenosis in Mounier-Kuhn syndrome. A case report

F.M. Messahel

227

Laryngeal anaesthesia with aspiration following intubation

W. Aucott, P. Prinsley and G. Madden

230

Stridor in an adult. An unusual presentation of functional origin

N.S. Morton and G.W. Barr

232

Obstructive sleep apnoea

N.M. Tierney, B.J. Pollard and B.R.H. Doran

235

APPARATUS

The laryngeal mask airway. A study of 100 patients during spontaneous breathing

P.M. Brodrick, N.R. Webster and J.F. Nunn

238

Characteristics of the Pharmaseal continuous flushing device

M.S. McKinney and I.A. Orr

242

SPECIAL ARTICLE

Death on the table. Some thoughts on how to handle an anaesthetic-related death

A. K. Bacon

245

FORUM

Pre-operative assessment of anxiety and measurement of arterial plasma catecholamine concentrations. The effect of oral β -adrenergic blockade with metoprolol

C.-J. Jakobsen and L. Blom

249

Obstetric anaesthetic workload in a teaching unit

M. R. Parsloe and R. MacDonald

252

CORRESPONDENCE

254

BOOK REVIEWS

270

ANAESTHETIC LITERATURE

274

SAFETY ACTION BULLETIN

279

COURSES IN ANAESTHESIA

279

ANNUAL REPORT OF COUNCIL

280

EDITION
The
W.

ORIGIN
Ne
tor
D.I.
Re
sol
K.A.
Bra
D.A.
Th
M.
Ce
H.

CASE
Ep
A.
Te
A.A.
Re
A.A.
Pu
H.

AP
Th
V.
A
J.T.
Me
M.

FOR
Ep
F.
Pu
D.
Ca
P.

SPE
An
D.

CO

BO

AN

OB

INT

Contents: Anaesthesia, vol. 44, no. 4, April 1989

EDITORIAL

The College of Anaesthetists

W.W. Mushin

291

ORIGINAL ARTICLES

Neostigmine after spontaneous recovery from neuromuscular blockade. Effect on depth of blockade monitored with train-of-four and tetanic stimuli

D.R. Goldhill, A.P. Wainwright, C.S. Stuart and P.J. Flynn

293

Rebreathing during spontaneous and controlled ventilation with T-piece breathing systems: a general solution

K.L. Dorrington and J.R. Lehane

300

Bradycardia in patients receiving atracurium or vecuronium in conditions of low vagal stimulation

D.A. Cozanitis, L. Lindgren and P.H. Rosenberg

303

The value of postoperative chest radiology after major abdominal surgery

M.H. Cooper and J.N. Primrose

306

Cerebral effects of anaesthesia and hypothermia

H. Stephan, H. Sonntag, H. Lange and H. Rieke

310

CASE REPORTS

Epidural anaesthesia and spinal arachnoiditis

A. Sghirlanzoni, R. Marazzi, D. Pareyson, A. Olivieri and M. Bracchi

317

Termination of paroxysmal supraventricular tachycardia by intravenous adenosine in a child

A.E. Chow and C. Noble-Jamieson

322

Respiratory arrest after a caudal injection of bupivacaine

A.B. Lumb and F. Carli

324

Pulse oximetry in methaemoglobinaemia. Failure to detect low oxygen saturation

H.U. Rieder, F.J. Frei, A.M. Zbinden and D.A. Thomson

326

APPARATUS

The Cyclops 33 radiation thermometer. An appraisal for use in anaesthesia

V. Ramachandra, L.G. Allan and F. Carli

328

A Kynar piezoelectric film respirometer

J.T.B. Moyle

332

Measurement of the flow-resistive properties of double-lumen bronchial tubes *in vitro*

M. Chiaranda, A. Rossi, G. Manani, O. Pinamonti and A. Braschi

335

FORUM

Epidural fentanyl and perineal pain in labour

F. Reynolds and G. O'Sullivan

341

Pulse oximetry in the recovery room

D.C. Smith, J.J. Canning and J.F. Crul

345

Carbon dioxide—a survey of its use in anaesthesia in the UK

P.A. Razis

348

SPECIAL ARTICLE

Anaesthesia and the law. Awareness and pain during anaesthesia

D. Brahm

352

CORRESPONDENCE

353

BOOK REVIEWS

367

ANAESTHETIC LITERATURE

369

OBITUARIES

373

INTERNATIONAL CONGRESS CALENDAR

373

EDIT
Ana
R.M.

ORIG
The
H.S.
Hac
D.O.
The
G.V.
Bed
den
P.T.
Gel
F.I.
Eff
F.A.
Stel
add
P.A.
Epi
E.M.

CAS
Can
E.M.
Per
H.I.
Hy
sur
M.

APPE
The
K.M.
Flu
R.J.
The
G.I.
A n
A.J.

SPE
Inte

FOR
Pos
sett
G.L.
Spi
T.M.
Da
J.W.

SPE
Re
J.B.

CO

BOO

ANA

HAZ

STO

Contents: Anaesthesia, vol. 44, no. 5, May 1989

EDITORIAL

- Anaesthesia in old age
R.M. Jones

377

ORIGINAL ARTICLES

- The effect of acutely administered phenytoin on vecuronium-induced neuromuscular blockade
H.St.J. Gray, R.M. Slater and B.J. Pollard 379
- Haemodynamic responses to nicardipine in humans anaesthetised with halothane
D.C. Ray and G.B. Drummond 382
- The effects of speed of injection on induction with propofol. A comparison with etomidate
G.W.A. Gillies and N.W. Lees 386
- Bed rest and postlumbal puncture headache. The effectiveness of 24 hours' recumbency in reducing the incidence postlumbal puncture headache
P.T. Cook, M.J. Davies and R.E. Beavis 389
- Gelling of urea-linked gelatin with fresh frozen plasma
F. Murray and P. Hutton 392
- Effect of buprenorphine on the cardiovascular response to tracheal intubation
F.A. Khan and R.S. Kamal 394
- Stellate ganglion block with bupivacaine. Minimum effective concentration of bupivacaine and the effect of added potassium
P.A.J. Hardy 398
- Epidural diamorphine and bupivacaine in labour
E.M. McGrady, D.K. Brownhill and A.G. Davis 400

CASE REPORTS

- Cardiovascular instability following bolus dose of etomidate
E.M. McGrady and I.H. Wright 404
- Peri-operative management of severe thyrotoxicosis with esmolol
H.R. Vijayakumar, W.O. Thomas and J.J. Ferrara 406
- Hypertrophic obstructive cardiomyopathy in combination with a prolapsing mitral valve. Anaesthesia for surgical correction with propofol
M.D. Bell and C.S. Goodchild 409

APPARATUS

- The oesophageal detector device. A prospective trial on 100 patients
K.N. Williams and J.F. Nunn 412
- Fluid flow through dural puncture sites. An *in vitro* comparison of needle point types
R.H. Cruickshank and J.M. Hopkinson 415
- The pneuPAC ventilator with new patient valve and air compressors
G.R. Park, A.R. Manara, A.R. Bodenham and C.J. Moss 419
- A modified expiratory valve for teaching
A.J. Sansome and R. Bacon 425

SPECIAL ARTICLE

- Intensive care in the United Kingdom: report from the King's Fund panel 428

FORUM

- Possible decrease in mortality associated with anaesthesia. A comparison of two time periods in Massachusetts, USA
G.L. Zeitlin 432
- Spinal anaesthesia in infants born prematurely
T.M. Gallagher and P.M. Crean 434
- Daycase anaesthesia and anxiety. A study of anxiety profiles amongst patients attending a Day Bed Unit
J.W. Mackenzie 437

SPECIAL ARTICLE

- Report of a meeting of the International Committee for Prevention of Anesthesia Mortality and Morbidity
J.B. Cooper 441

CORRESPONDENCE

444

BOOK REVIEWS

452

ANAESTHETIC LITERATURE

454

HAZARD NOTICE

459

STOP PRESS

459

EDITOR
Sir G.
FRCS
W.K.

ORIGINAL
Cryst
A.M.
Alka
D.M.
Com
F.L.
Char
S. R.
Inher
M. W.

CASE
'Lock
D.J.
Atra
A.J.
Para
M.J.
The
J.A.
Failu
R.A.

APPA
A ne
A.J.
The
cour
P.M.

FORU
Seri
T. P.
Hyp
N.A.
Occ
W.M.

CORI

BOOI

ANA

Contents: Anaesthesia, vol. 44, no. 6, June 1989

EDITORIAL

Sir Geoffrey Stephen William Organe, MA, MRCS, LRCP, MB, BChir, MD, FFARCS, FFRACS (Hon),
FRCS, FFARCS (Hon), DA—25 December 1908–7 January 1989
W.K. Pallister

461

ORIGINAL ARTICLES

Crystalloid versus colloid for circulatory preload for epidural Caesarean section

A.M. Murray, M. Morgan and J.G. Whitwam

463

Alkalinisation of bupivacaine for sciatic nerve blockade

D.M. Coventry and J.G. Todd

467

Comparison of hyperbaric and plain bupivacaine with hyperbaric cinchocaine as spinal anaesthetic agents

F.L. Roberts, E.C. Brown, R. Davis and M.J. Cousins

471

Changes in cardiac output during epidural anaesthesia for Caesarean section

S. Robson, S. Hunter, R. Boys, W. Dunlop and M. Bryson

475

Inheritance of low plasma cholinesterase activity in two families with a history of suxamethonium sensitivity

M. Whittaker, M. Berry and J.J. Britten

480

CASE REPORTS

'Locked-in' syndrome. Occurrence after coronary artery bypass graft surgery

D.J. Kenny and D.A. Luke

483

Atracurium overdose in a small infant

A.J. Charlton, N.J.N. Harper, D. Edwards and A.C. Wilson

485

Paraplegia after coeliac plexus block

M.J. Woodham and M.H. Hanna

487

The management of Caesarean section in a patient with an intracranial arteriovenous malformation

J.A. Laidler, I.J. Jackson and N. Redfern

490

Failure of repeated blood patch in the treatment of spinal headache

R.A. Fry and A. Perera

492

APPARATUS

A new dual function nerve stimulator

A.J. Sansome and J.G. de Courcy

494

The Malawi anaesthetic machine. Experience with a new type of anaesthetic apparatus for developing countries

P.M. Fenton

498

FORUM

Serious morbidity attributable to anaesthesia. Considerations for prevention

T. Pedersen and S.H. Johansen

504

Hypoxaemia during outpatient dental anaesthesia

N.A. Allen, D.J. Rowbotham and W.S. Nimmo

509

Occupational exposure to nitrous oxide in four hospitals

W.M. Gray

511

CORRESPONDENCE

515

BOOK REVIEWS

537

ANAESTHETIC LITERATURE

539

Contents: Anaesthesia, vol. 44, no. 7, July 1989

EDITORIAL

Neurophysiological monitoring
P.F. Prior

545

ORIGINAL ARTICLES

Anaphylaxis to latex during surgery

F. Leynadier, C. Pecquet and J. Dry

547

The pressor response and laryngeal mask insertion. A comparison with tracheal intubation

N. Braude, E.A.F. Clements, U.M. Hodges and B.P. Andrews

551

A double-blind comparison of epidural ketamine and diamorphine for postoperative analgesia

S.J. Peat, P. Bras and M.H. Hanna

555

Effect of single-dose omeprazole on intragastric acidity and volume during obstetric anaesthesia

J. Moore, R.J. Flynn, M. Sampaio, C.M. Wilson and K.R.W. Gillon

559

Gastric emptying after head injury

I. Power, J.C. Easton, J.G. Todd and W.S. Nimmo

563

Atracurium infusion during paediatric craniofacial surgery. Closed loop control of neuromuscular block

C.M. Wait and V.A. Goat

567

Postspinal headache in young and elderly patients. Two randomised, double-blind studies that compare 20- and 25-gauge needles

B.S. Rasmussen, L. Blom, P. Hansen and S.S. Mikkelsen

571

Migration of thoracic epidural catheters. Three methods for evaluation of catheter position in the thoracic epidural space

J. Mourisse, M.J.M. Gielen, M.A.W.M. Hasenbos and F.M.J. Heystraten

574

A comparison between open-end (single hole) and closed-end (three lateral holes) epidural catheters.

Complications and quality of sensory blockade

S. Michael, M.N. Richmond and R.J.S. Birks

578

The requirement for intensive care support for the pregnant population

S.G. Graham and M.C. Luxton

581

CASE REPORTS

Recurrent anaphylactoid reaction during Caesarean section

I.J.B. Jackson, M.R. Bryson, S. McPhail and B.B. Bhala

585

Giant false aneurysm of the subclavian artery. An unusual complication of internal jugular venous cannulation

S.P.J. Huddy, A. McEwan, J. Sabbat and D.J. Parker

588

FORUM

Sodium bicarbonate as a single dose antacid in obstetric anaesthesia

H.M.L. Mathews and J. Moore

590

The effect of H₂ antagonists on duration of action of suxamethonium in the parturient

D.G. Bogod and T.E. Oh

591

Assessing collateral circulation in the hand—four methods compared

R.J. Glavin and H.M. Jones

594

Volatile agent use: perception and practice. A survey of agent use over a 3-year period

J. Tarpey and P.G. Lawler

596

Cardiovascular response during cerebral angiography under general and local anaesthesia

D.G. Clayton, B.M. O'Donoghue, J.E. Stevens and P.E. Savage

599

Reversal of prolonged sedation using flumazenil in critically ill patients

A. Bodenham and G.R. Park

603

SPECIAL ARTICLE

Anaesthesia and the law. Monitoring

D. Brahm

606

CORRESPONDENCE

608

BOOK REVIEWS

621

ANAESTHETIC LITERATURE

623

OBITUARIES

627

INTERNATIONAL CONGRESS CALENDAR

627

HAZARD NOTICE

630

Contents: Anaesthesia, vol. 44, no. 8, August 1989

EDITORIAL

John Alfred Lee (1906-1989) MRCS, LRCP, MMSA, FFARCS, FFARCSI (Hon)

J. A. Lee and J. N. Lunn

631

ORIGINAL ARTICLES

Fluid deprivation before operation. The effect of a small drink

A. Agarwal, P. Chari and H. Singh

632

The effects of hypocapnic ventilation on mental function in elderly patients undergoing cataract surgery

R. M. Jhaveri

635

Anaesthesia and brain damage in the newborn

A. J. Charlton, J. M. Davies and S. Rimmer

641

Opioid supplementation during propofol anaesthesia. The effects of fentanyl or alfentanil on propofol anaesthesia in daycase surgery

A. C. Moffat, A. W. Murray and W. Fitch

644

A clinical study into the possible intrinsic bradycardic activity of vecuronium

D. A. Cozanitis and O. Erkola

648

Comparison of anxiety before induction of anaesthesia in the anaesthetic room or operating theatre

J. C. Soni and D. A. Thomas

651

CASE REPORTS

Laryngeal mask anaesthesia for repair of cleft palate

M. E. Beveridge

656

Asystole with convulsion following a subanaesthetic dose of propofol plus fentanyl

K. L. Dorrington

658

Heat stroke—an uncommon presentation

P. V. van Heerden and C. H. Collins

660

Pneumothorax caused by minitracheotomy

J. M. Silk and A. M. Marsh

663

APPARATUS

A computer-controlled anaesthetic gas mixer

R. W. Boaden, P. Hutton and C. Monk

665

HISTORICAL

A history of anaesthetic rooms

J. C. Soni and D. A. Thomas

670

SPECIAL ARTICLE

Anaesthesia and substance abuse

P. R. Wood and N. Soni

672

FORUM

The attitudes of junior anaesthetists to research. A survey

D. G. Gaylard and J. M. Lamberty

681

Epidural anaesthesia for day care surgery. A retrospective study

V. J. Sarma and J. Lundström

683

Temazepam or midazolam for night sedation. A double-blind study

J. Irjala, J. Kanto and M. Salonen

685

Pain on injection of methohexitone. The use of lignocaine to modify pain on injection of methohexitone during anaesthesia for electroconvulsive therapy

K. H. Simpson, P. J. Halsall and C. A. Sides

688

CORRESPONDENCE

690

ANAESTHETIC LITERATURE

707

THE ANNUAL CONFERENCE OF LINKMEN OF THE ASSOCIATION OF ANAESTHETISTS OF GREAT BRITAIN AND IRELAND, 1988

712

SAFETY ACTION BULLETIN

718

Contents: Anaesthesia, vol. 44, no. 9, September 1989

EDITORIAL

Intravenous induction agents for Caesarean section

A. Holdcroft and M. Morgan

719

ORIGINAL ARTICLES

Gastric aspirates after trauma in children

S.R.W. Bricker, A. McLuckie and D.A. Nightingale

721

Prediction of neurological damage after cardiopulmonary bypass surgery. Use of the cerebral function analysing monitor

M. Nevin, A.C.F. Colchester, S. Adams and J.R. Pepper

725

Propofol infusion for sedation in outpatient oral surgery. A comparison with diazepam

M. Valtonen, M. Salonen, H. Forssell, M. Scheinin and O. Viinamäki

730

Outpatient paediatric dental anaesthesia. A comparison of halothane, enflurane and isoflurane

M. Simmons, C.D. Miller, G.C. Cummings and J.G. Todd

735

Effect of intravenous cimetidine on lignocaine disposition during extradural Caesarean section

R.J. Flynn, J. Moore, P.S. Collier and P.J. Howard

739

Advantages of the paramedian approach for lumbar epidural analgesia with catheter technique. A clinical comparison between midline and paramedian approaches

R.G. Blomberg, A. Jaanivald and S. Walther

742

Regional anaesthesia for surgery of the forearm and hand. A technique of combined supraclavicular and discrete blocks

B.E. Smith, J.F. Challands, M. Suchak and D. Siggins

747

Alteration of maternal posture and its immediate effect on epidural pressure

G.M. Johnston, R.C. Rodgers and M.E. Tunstall

750

A comparison between propofol and thiopentone as induction agents in obstetric anaesthesia

J. Moore, K.M. Bill, R.J. Flynn, K.T. McKeating and P.J. Howard

753

Comparison of propofol and thiopentone for induction of anaesthesia for elective Caesarean section

M. Valtonen, J. Kanto and P. Rosenberg

758

Isoflurane inhibits enflurane metabolism in man

M.P. Oikonen

763

CASE REPORTS

An unusual case of symptomatic hypoglycaemia in a child

T.M.W. Long

765

Anaphylactoid reaction to chymopapain

M.B. Smith and V.C. Hofmann

767

Peripartum cardiomyopathy. A rare cause of pulmonary oedema in late pregnancy

N.G. Lavies and D.A.B. Turner

770

Obliteration of the axillary artery after axillary block

B. Ott, L. Neuberger and H.P. Frey

773

Epidural anaesthesia and thrombocytopenia

P. Hew-Wing, S.H. Rolbin, E. Hew and D. Amato

775

FORUM

Epidural versus general anaesthesia for elective Caesarean section. Effect on Apgar score and acid-base status of the newborn

C.M. Evans, J.F. Murphy, O.P. Gray and M. Rosen

778

CORRESPONDENCE

783

BOOK REVIEWS

795

ANAESTHETIC LITERATURE

797

Contents: Anaesthesia, vol. 44, no. 10, October 1989

EDITORIAL

One more step?

M.M. Burrows

803

ORIGINAL ARTICLES

Atracurium recovery: prediction of safe reversal times with edrophonium

J.N. Cashman, R.M. Jones and A.P. Adams

805

Gastro-oesophageal reflux in pregnancy at term and after delivery

R.G. Vanner and N.W. Goodman

808

Premedication with temazepam in minor surgery. The relationship between plasma concentration and clinical effect after a dose of 40 mg

A. Ratcliff, A.A. Indalo, E.G. Bradshaw and R.M. Rye

812

Intravenous enalaprilat and autonomic reflexes. The effects of enalaprilat on the cardiovascular responses to postural changes and tracheal intubation

J.D. Murphy, R.S. Vaughan and M. Rosen

816

The effects of secondary transport on critically ill patients

S. Ridley and R. Carter

822

CASE REPORTS

'Cured' myasthenia gravis and neuromuscular blockade

A.B. Lumb and I. Calder

828

Spinal arteriovenous fistula. A possible cause of paraparesis after epidural anaesthesia

A. Sghirlanzoni, M. Gemma, D. Pareyson, C. Cimino and A. Boiardi

831

Awake fiberoptic intubation for a rare cause of upper airway obstruction—an infected laryngocoele

J. Rashid and B. Wartier

834

Postoperative hypotension associated with enalapril

R.M. Russell and R.M. Jones

837

Minitracheotomy—a life-threatening complication

A.K. Daborn and M.N.E. Harris

839

Emergency resection of pheochromocytoma presenting with hyperamylasaemia and pulmonary oedema after abdominal trauma

D.J. Greaves and P.M. Barrow

841

HISTORICAL

Two early ether inhalers

A.H.B. Masson

843

Paul Sudeck—his contribution to anaesthesia

D.D.C. Howat

847

SPECIAL ARTICLES

The M1 air crash. The demands placed on anaesthetic and intensive care services of two hospitals

N.R. Coad, M.J. Jones, A.J. Byrne and M.L. Pepperman

851

Clinical and resource management: what are the options for anaesthetists?

R. Dyson

855

Anaesthesia and the law. Respiratory failure in a young child after aspiration of hot tea

D. Brahams

858

CORRESPONDENCE

860

ANAESTHETIC LITERATURE

871

OBITUARIES

876

INTERNATIONAL CONGRESS CALENDAR

876

SAFETY ACTION BULLETIN

878

ERRATUM

878

Contents: Anaesthesia, vol. 44, no. 11, November 1989

EDITORIAL

- Infusions of analgesics, sedatives and muscle relaxants in patients who require intensive care
G.R. Park and P.A. Gray 879

ORIGINAL ARTICLES

- The detection of intra-operative myocardial ischaemia. Preliminary experience with the right-sided precordial lead
S.G. De Hert, R.F. De Jongh, A.O. Van den Bossche, P.L. De Maere and H.F. Adriaensen 881
- Pupillary signs during cardiac surgery. Their use in the prediction of major cerebral deficit following cardiopulmonary bypass
N.M. Woodall, J.K. Maryniak and A. Gilston 885
- Multidimensionality of psychological recovery from anaesthesia. Analysing six recovery tests
W.W.A. Zuurmond, V.A. Balk, H. van Dis, L. van Leeuwen and E.A.A. Paul 889
- Continuous versus intermittent epidural analgesia. A randomised trial to observe obstetric outcome
R.F. Lamont, D. Pinney, P. Rodgers and T.N. Bryant 893
- Controlled-release morphine in cancer pain. Is a loading dose required when the formulation is changed?
P.J. Hoskin, P. Poulain and G.W. Hanks 897
- Intravenous regional analgesia with prilocaine for foot surgery. The effect of slow injections and high tourniquet inflation pressures
J.A.H. Davies 902
- Cardiovascular effects of fibrescope-guided nasotracheal intubation
J.E. Smith, A.A. Mackenzie, S.S. Sanghera and V.C.E. Scott-Knight 907

CASE REPORTS

- Hyperosmolality due to antacid treatment
J.H. Faraj 911
- Chlormethiazole sedation for critically ill patients in renal failure
P.A. Gray and G.R. Park 913
- A plea for noradrenaline
M.E. Stuart-Taylor and M.M. Crosse 916
- Unilateral subarachnoid anaesthesia
P.J. Armstrong 918
- Anaesthesia in an infant with Joubert's syndrome
N.C. Matthews 920

APPARATUS

- A disposable device for patient-controlled analgesia with fentanyl
D.J. Rowbotham, R. Wyld and W.S. Nimmo 922

FORUM

- Dose-response studies of atracurium, vecuronium and pancuronium in the elderly
P.F. Bell, R.K. Mirakhur and R.S.J. Clarke 925

CORRESPONDENCE

928

BOOK REVIEWS

942

ANAESTHETIC LITERATURE

945

Examples of correct form of references
Note: first and last pages in all references.

JOURNAL

Standard journal article—(List all authors)

SOTER NA, WASSERMAN SI, AUSTEN KF. Cold urticaria: release into the circulation of histamine and eosinophil chemotactic factor of anaphylaxis during cold challenge. *New England Journal of Medicine* 1976; **294**: 687-90.

Corporate author

The Committee on Enzymes of the Scandinavian Society for Clinical Chemistry and Clinical Physiology. Recommended method for the determination of gamma-glutamyltransferase in blood. *Scandinavian Journal of Clinical Laboratory Investigation* 1976; **36**: 119-25.
Anonymous. Epidemiology for primary health care. *International Journal of Epidemiology* 1976; **5**: 224-5.

BOOKS AND OTHER MONOGRAPHS

Personal author(s)

OSLER AG. *Complement: mechanisms and functions*. New York: Prentice-Hall, 1976.

Corporate authors

American Medical Association Department of Drugs. *AMA drug evaluations*, 3rd edn. New York: Publishing Sciences Group, 1977.

Editor, compiler, chairman as author

RHODES AJ, VAN ROOVEN CE, comps. *Textbook of virology: for students and practitioners of medicine and other health sciences*, 5th edn. Baltimore: The Williams & Wilkins Co., 1968.

Chapter in book

WEINSTEIN L, SWARTZ MN. Pathogenic properties of invading micro-organisms. In: SODEMAN WA Jr, SODEMAN WA, eds. *Pathologic physiology: mechanisms of disease*. Philadelphia: W.B. Saunders, 1974: 457-72.

Agency publication

National Center for Health Statistics. Acute conditions: incidence and associated disability, United States, July 1968—June 1969. Rockville, MD: National Center for Health Statistics, 1972. (*Vital and health statistics, Series 10: Data from the National Health Survey*, No. 69) [DHEW publication No. (HSM) 72-1036].

OTHER ARTICLES

Newspaper article

SHAFFER RA. Advances in chemistry are starting to unlock mysteries of the brain: discoveries could help to cure alcoholism and insomnia, explain mental illness. How the messengers work. *Wall Street Journal* 1977 Aug 12: 1(col 1), 10(col 1).

Magazine article

ROUECHE B. Annals of medicine: the Santa Claus culture. *The New Yorker* 1971 Sept 4: 66-81.

TABLES

Do not include tables in the text. Start a new sheet for each table and space the material adequately. The author(s) name(s) should appear in the top right-hand corner.

Indicate the approximate position of each table in relation to the subject matter of the text in the left-hand margin of the appropriate page on the manuscript. Do not submit tables as photographs. Number tables consecutively with arabic numerals. Supply a brief title for each. Give each column a short or abbreviated heading. Place explanatory matter in footnotes. Explain in footnotes all non-standard abbreviations that are used in each table. For footnotes, use the following symbols in this sequence: *, †, ‡, §, ||, ¶, **, ††, etc. Identify statistical measures of variations such as SD and SEM. *Legends for tables* should appear on the face of the table.

Cite each table in the text in consecutive order and mark the approximate position of the table in the left-hand margin of the text.

FIGURES

Each figure should be separate. Do not include figures in the text but collect together in an envelope or folder.

Indicate the approximate position of each figure in relation to the subject matter of the text in the left-hand margin of the appropriate page of the manuscript. Drawings, charts and diagrams should be submitted in black indian ink on a smooth white card and should be about twice the size of that desired in the published version with no lettering. Full plate, glossy black and white photographs will be accepted if they are sufficiently clear. All letters and numerals required on the face of figures must be clearly typed or written on tracing paper firmly attached with self-adhesive tape to the back of the figure and folded over from the front as a cover. They will then be printed in the style of *Anaesthesia* in the exact location indicated. Identify each figure by its sequential number in pencil on the reverse of the illustration and include the title of the paper and the authors' names. Mark the top of the illustration on the reverse by an arrow and the word 'Top'.

All sources of identification of patients must be removed.

LEGENDS FOR FIGURES

Start a new sheet

Type legends for illustrations double spaced with arabic numerals corresponding to the illustrations. When symbols, arrows, numbers or letters are used to identify parts of the illustrations, identify and explain each one clearly in the legend.

CONVENTIONS, ABBREVIATIONS AND STATISTICS

Statistics and measurements should be given in figures except that numerals one to nine should be in words if not followed by a measurement symbol (e.g. 'two patients' but '2.0 mg'). The *Système International* (SI) will usually be used except that vascular pressures will be recorded in mmHg and cmH₂O. Imperial measurements will not be used except in an historic context. The 24 hour clock will be used.

Contributors are advised to study the SI *Conversion Tables* provided in the January 1978 issue of *Anaesthesia, Units, Symbols and Abbreviations* (A Guide for Biological and Medical Editors and Authors) published by the Royal Society of Medicine, London W1M 8AE, and *Uniform requirements for manuscripts submitted to biomedical journals* (*British Medical Journal* 1979; **1**: 532-5).

The statistical tests used in the report should be stated clearly. Results should include 95% confidence limits for the main findings and probability estimates.

LETTERS FOR PUBLICATION

Should be addressed to Dr J. N. Lunn, Editor of *Anaesthesia*, Department of Anaesthetics, University Hospital of Wales, Heath Park, Cardiff CF4 4XW, UK.

Letters should be typewritten on one side of the paper only and double spaced with wide margins. Copy should be prepared in the usual style and format of the Correspondence section. Authors must follow the advice about references and other matters above. The degrees and diplomas of each author must be given in a covering letter which must be signed personally by all the authors.

Correspondence presented in any other style or format may be subject to considerable delay and may be returned to the author for revision.

The editors regret that failure to comply with the above requirements may result in a delay in publication of accepted papers.

REVIEW JOURNALS

This journal is covered by *Current Contents*, *ASCA*, the *Science Citation Index* and *Index Medicus*.

U·M·I

THE DECEMBER CONTENTS IS NOT AVAILABLE AT
THIS TIME FOR PHOTOGRAPHY. THIS REPRODUCTION
IS MADE FROM THE BEST COPY AVAILABLE.